

---

## A Review on the Related factors of Traffic Road Accident

Pooja Dixit<sup>1</sup>

<sup>1</sup>Research Scholar, Department of Computer Science & Engineering,  
Bundelkhand University, Jhansi, Uttar Pradesh, India.  
Correspondence E-mail Id: editor@eurekajournals.com

### Abstract

Current years, road accident has become a worldwide issue and noticeable as the ninth conspicuous reason for death on the planet. Because of the broad number of road accidents consistently, it has become a significant issue in India. It is totally prohibited and disheartening to permit its resident to kill by road accidents. Thusly, to deal with this overpowered circumstance, an exact investigation is required. In this report we'll survey of the investigation of Road Accident in India. In this way the traffic agencies and public focus at the measures to diminish such mishap seriousness so as to decrease the dead rate. This paper surveys different component and information identified with road accident happened in different nations and furthermore considers distinctive secure measures recommended by analysts.

**Keywords:** Accidents, Causes, Safety, Severity, Fatality.

### Introduction

Road Accident is the most unfortunate and sudden thing to happen to a street user, however they happen regularly. Unfortunately we can see a minatory climb of road accidents in Bangladesh, obviously highroad accidents in the course of past insufficient years. It massively affects society just as in the economy of our nation as there is a huge expense of fatalities and wounds. Road Traffic Accident (RTA) is one of the diversities of transportation harms (Road, Rail and Air). Accidents and damages are quickly on the growth and seem to rise as the main sources of injury and mortality in the age between 15 to 34 years. India has a death rate in road accidents that is 20 times that of created nation's maybe the most elevated road accident on the planet. As per the Registrar General of India, the recorded information for all harm related fatalities just reflect 20-30% of real injury related deaths. Accidents and wounds represent 17% of DALY misfortunes in the nation (Gupte et. al., 2001). Official measurements about to major wounds are not solid as they undervalue the real number (Gururaj, 2008), however it is that the likely of persons hospitalized might be 15-20 times the number killed (Mohan; 2004 ). Agreeing by WHO expectations, if a intensive exertion isn't made to progress the administrations by 2020, there will be 14.7% expansion in RTA passings in India (Madan, 2006). India has 1% of the world's vehicles, yet 6% of the complete worldwide RTA death

Economic misfortune amount to 550 crores (12.5 billion dollars), an amount which is same as defense budget (Madan, 2006). Drivers were found to blame in 45% cases.

Road accidents are to a great extent preventable. Confirmation shows that with a built up set of intercessions, Road traffic wounds have been decreased in some high-salary nations since the 1960s and 1970s. However, this has not occurred in numerous poor nations. The street traffic death rates in low-salary and middle income nations have expanded considerably. Street security is a shared obligation. Sinking the danger of street traffic framework require duty and educated dynamic supervisory by government, industry, NGOs, experts and networks, through a wide scope of supportive events and negotiations including implementation of regulation to control speed and liquor utilization, ordering the utilization of safety belts and crash head protectors, more secure structure and utilization of streets and vehicles, and community training and education on road safety. Not many examinations have endeavored to recognize the study of epidemiology disease transmission of hazard factors related with RTA in Indian cities. Study was intended to education the significant causes/hazard factors just as nature, type and method of incidents of Road car crashes in Rajasthan [1]. The significant point of this work is to gather the pragmatic details and different significant number identified with the road accident seriousness and the measures to lessen RTAs. Security can be improved by effectively associating recurrence of accident existence event and seriousness of the causative factors. RTAs (Road Traffic Accident) can be diminished through appropriate education and informational participation time association that support the utilization of secure kit's. Very little is thought about the impacts of secure training projects and driver instruction programs. This work gives a wide investigation of causes and recurrence of accidents happening in foremost cities of the world. Likewise an examination was made to avoid the equivalent so as to improve the financial elements of a nation [2].

## Major Causes of Road Traffic Accidents

Road traffic accidents results from a mix of issues identified with the parts of the system containing streets, nature, vehicles and street clients, and the manner in which they collaborate. These can be assembled under the resulting heads:

**Factors influencing exposure to risk:** Variables affecting presentation to chance: The mode, mean, duration of movement just as the format and structure of the street alongside lacking traffic information like speed limits, street sign can have an impact on introduction to danger of street auto collisions.

**Human Factors in RTA:** Human Factors in RTA: Drunken Driving, over speeding, failure to monitor traffic rules, careless driving are a portion of issues in road traffic accident. In India, drunken driving is naturally in business vehicle drivers. Private car proprietors and youths are additionally significant players in the game. Driver Fatigue, tiredness, more youthful age (15–29 years), male sex, poor utilization of head protectors and seat straps,

ailments (sudden illness, myocardial localized necrosis, impaired vision), (chance taking, indiscretion), inadequate judgment, deferred choices, forcefulness, poor discernments, family brokenness, and interruption while driving (utilizing cell phones) additionally are mindful human factors in RTA.

**Environmental risk factors:** These are related to the roads like defective and narrow roads, defective layout of crossroads, poor lighting, and lack of familiarity, poor construction, bad design etc. Another factor in India is the outsourcing of road construction to contractors. Some of the contractors are very much profit oriented resulting in low quality roads. Ditches and pot holes also contribute to RTA.

**Vehicles factors:** Vehicles conditions employing on the streets assumes a significant job in road traffic accidents. Unnecessary speed, unwell looked after vehicles, enormous number of vehicles, low driving guidelines and over-burden transports are a portion of the components related with vehicles. Along these lines, road traffic accidents in India results from an association of these various components [3].

## Preventive Measures

Numerous street traffic collisions and passing are preventable. A portion of the prevent measures are quickly illustrated below.

**Vehicles:** Well-kept up vehicles with great breaks, lighting, tyres and so on will decrease accidents. Older vehicles and exceptionally contaminating vehicles ought to be eliminated. Vehicles should be given safety seat belts and other important security arrangements like airbags.

**Environmental factors or Condition of roads:** Roads should be well retained with regular handing-off of street surfaces and markings of street security signs. Give appropriate footpath to people on foot and person on foot crossing at connections. Give separate paths to slow moving and quick moving vehicles. Streets and intersections should to be wide and sufficiently bright with the goal that visibility is acceptable.

**Human Elements:** Drivers can essentially add to lessening the accidents. Giving of the driving license should to be carefully founded on the base capability developed by the beginners from assigned driving schools. All drivers should to be appropriately prepared and should to have a substantial driving permit. Training of the drivers and travelling public about traffic rules should to be assumed. There should be tough clinical exam particularly vision and hearing for the drivers. Aimless beeping is to be stayed away from. Reinforcing the punishments/fines (change in MVA) for traffic rule violators ought to be finished. There should to be rigid checking for over-burdening. Required registration of criminal cases in over-burdening can help in decrease of RTA. Guaranteeing utilization of street safety devices

(helmets, belts, and so on.) can be useful. Stuffed traveler vehicles should finish in termination of licenses.

There is a requirement for a National Accident Relief Policy to guarantee brief reprieve, free injury care, preparing of police, educators, paramedics and so on.

Rules for obligatory wearing of helmets by bikes and safety belts by four wheelers must be executed. Traffic rules must be carefully implemented by the concerned specialists. Expulsion of homeless animals like dairy cattle and evacuation of violation on footpath and street edges will empower smooth progression of traffic. Forestalling random parking on occupied streets and crossing points will guarantee free progression of traffic [4].

### **Management of Accident Victims (To Reduce Mortality)**

The significance of the "Brilliant Hour" in giving satisfactory treatment to the accident victim in valid the wounded should be featured to both the vehicle clients and the network. There should to be arrangement of clinical consideration/medical aid care offices on interstates and occupied streets just as arrangement of ambulances and qualified wellbeing personals in moving and shipping the harmed individual to close by emergency clinics for treatment. Mindfulness creation among all areas of the general public to treat accident casualties with compassion and unafraid so the dreariness and mortality can be diminished. Studies on Various Road Safety Models [6].

### **Studies on Various Road Safety Models**

Gianluca Dell Acqua et al., (2003) showed street security arithmetic model to guess injury accidents. Two accident forecast models one related with two-path rustic streets and the other with multilane roadways were aligned utilizing methodology dependent on least squares technique with a certainty level of 95%. Traffic stream, path width, vertical incline and bend and flow change rate and roadways fragments length were the logical factors. 223 kilometers of Italian roadways were secured and investigated inside the Salerno Province network. The Gauss-Newton strategy dependent on the Taylor arrangement was utilized to evaluate the coefficients of employed factors [7].

Accident Analysis and avoidance by Taimur Usman et al.,(2010) introduced a displaying approach that related accident recurrence with street surface conditions, perceptibility and other affecting variables during a tornado event. The discoveries of this paper can be applied for surveying different support systems utilizing security as a presentation measure. The paper clarified the experimental connection among safety and street surface conditions, and made measurement of security benefits simpler [8].

Tibebe Beshah et al., (2010) applied data mining technologies that connected recorded street trademark information with accident seriousness in Ethiopia, and proposed certain guidelines

that could be accepted by the Ethiopian Traffic Agency to improve safety. The Ethiopian traffic control framework information on various features of traffic framework, similar to traffic volume, traffic focus, and vehicular accidents. The examination presumes that accidents are not arbitrarily dispersed by the side of street network and that drivers are not associated with accidents at irregular. The accident record has in excess of 40 elements of content, numbers, dates and times. Among these, the vehicle plate number, and driver's name were saved secret for security purposes [9].

Ahmad Hasan Nury et al., (2012) gave methodological examination of accident occurrence and brutality of traffic accident disseminations as far as areas, recurrence, vehicles and time. Poisson and negative binomial relapse models are increasingly suitable instrument in accident modeling (Lee 1999) [10].

Baojin Wang (2002) had researched an example of assessments by drivers with respect to road atmosphere with security. An up close and personal review information of an example of Sydney drivers was utilized to approximation an arranged morality model, a technique frequently utilized in travel performance trainings. In the overview, an accused assessed 27 landscapes created to quantify a driver's apparent security in the street condition. The exploration by G A Hindle et al., (2011) detailed the amount of personal injury collisions (PIC) over the previous decade on the streets of English nearby authority zones [11].

Dinesh Mohan (2011) had establishment that data with respect to street accidents isn't dependable in not many developed nations while a couple of developing nations have great information frameworks. This work had made a wide appraisal of the status of street security in 178 nations. The information obtained from national governments in a normalized review structure was utilized to prescribe measures to be accepted for street safety and approaches expected to cut down street accidents. It was additionally indicated that there is no connection between a nation's salary level and explicit casualty amounts of the road clients.

An important in progress rate was seen among urban and pastoral measurement and was particularly relied upon earlier PIC hazard levels. The investigation highlighted the accident situation of destinations under the persistent observation of camera and its effect on accidents.

From the examination on different security models, coefficients of utilized factors like traffic stream, path width, and so forth and different support procedures for forestalling accidents can be evaluated. The model investigations are valuable in deciding issues causing accidents and traffic accident circulations as preventive measures can be planned reasonably. Model examinations on assessment of driver's circumstance and execution can help in recognizing preventive measures to maintain a strategic distance from rider based accidents. Studies on utilization of camera observation to observe excepted accident spots indicated the effectiveness of its use in forestalling accidents [12].

## Results

Selected attribute		
Name: Road Surface		Type: Nominal
Missing: 0 (0%)		Distinct: 4
		Unique: 0 (0%)
No.	Label	Count
1	Dry	1647
2	Wet/Damp	521
3	Frost/Ice	30
4	Snow	5

**Figure 1. Statistical Information of Attributes**


**Table 1**

Road Surface	Count
Dry	1647

The above table states that the maximum accidents occurred on Dry Road Surface. And the frequency of this road surface is 1647.

**Table 2. Classifier's Accuracy on different data sets**

Classifier/Data	Numeric Data	Nominal Data	Mix Data
Naïve Bayes	76.30%	71.68%	75.4%
Decision Tree (J48)	73.83%	75.52%	70.5%
Lazy Classifier (K*)	69.14%	73.42%	69.4%



**Figure 2. Performance of classifier on Mix data set**




Figure 3. Performance of classifier on Numeric data set




Figure 4. Performance of classifier on Nominal data set

In this study, we comparing three popular classification techniques NB, decision tree and lazy classifiers on different data sets. The purpose of this study is to check the performance of different classification algorithms on different data sets. Therefore, this study simply revealed the important information that the different classification algorithms have different accuracy and performance on different kind of data sets. Our study certainly helps the beginners to choose the best classification algorithm in order to apply different kind of data sets.

## Conclusion

The consequences of different field works done out and about road traffic accident in different nations have been accounted for in this paper. This writing study encourages the scientists to have a nutshell point about the impact of RTAs and the safety measures to be followed to evade RTAs. The experimental facts and many identified figures with the street accident seriousness and the measures to lessen RTAs conferred about in different examinations were introduced.

Multifaceted audit of different literary works has indicated that accidents events are the impact of various human, vehicle and natural components regularly communicating in a convoluted way to produce the inception of the occasion. The reasons for street car crashes are not simply human blunder or driver carelessness. There is have to see street traffic accidents as an issue that needs critical consideration planned for decreasing the health, social and financial effects.

## References

1. Rakesh Kakkar, Pradeep aggarwal, Monica Kakkar, Kirti Deshpande And Divya Gupta “Road Traffic Accident: Retrospective Study” ISSN : 0976-2876, 2014.
2. Palanisamy Sivaprakash “A review on road traffic accident and related factors” International Journal of Applied Engineering Research-January 2015.
3. [https://www.who.int/violence\\_injury\\_prevention/road\\_traffic/activities/roadsafety\\_training\\_manual\\_unit\\_2.pdf](https://www.who.int/violence_injury_prevention/road_traffic/activities/roadsafety_training_manual_unit_2.pdf).
4. Margie Peden, Richard Scurfield, David Sleet, Dinesh Mohan, Adnan A. Hyder, Eva Jarawan and Colin Mathers “World report on road traffic injury prevention” World Health Organization Geneva, 2004.
5. Thokchom Shantajit, Chirom Ranjeev Kumar, Quazi Syed Zahiruddin “Road Traffic Accidents In India: An Overview” International Journal of Clinical and Biomedical Research. 2018.
6. Ali Ahmed Mohammed1, Kamarudin Ambak, Ahmed Mancy Mosa, Deprizon Syamsunur “A Review of Traffic Accidents and Related Practices Worldwide” DOI: 10.2174/1874447801913010065, 2019, 13, 65-83.
7. MarioDe Lucaa Raffaele Maurob Renato Lambertia Gianluca Dell’ Acquaa “Road Safety Management Using Bayesian and Cluster analysis” Volume 54, 4 October 2012.
8. Taimur Usmana, Liping Fua, Luis F.Miranda-Morenob “Quantifying safety benefit of winter road maintenance: Accident frequency modeling” Volume 42, Issue 6, November 2010, Pages 1878-1887.
9. Tibebe Beshah, Shawndra Hill “Mining Road Traffic Accident Data to Improve Safety: Role of Road- elated Factors on Accident Severity in Ethiopia”.
10. Ahmad Hasan Nury, Md. Jahir, Bin Alam, Syeda Zehan Farzana, Md. Abu Zafor “Study on Frequency Analysis of Sylhet City’s Road Accident”.
11. Baojin Wang, David A. Hensher & Tu Ton “Safety in the road environment: a driver behavioural response perspective”, August 2002.
12. Dinesh Mohana, Shalini Rajputa, Vinod K.Singh, Philip H.Steele, Charles U.Pittman Jr. “Modeling and evaluation of chromium remediation from water using low cost bio-char, a green adsorbent” Volume 188, Issues 1–3, 15 April 2011, Pages 319-333.